Ontario

Ministry of Natural Resources

Hon. Alan W. Pope
Minister

John R. Sloan
Deputy Minister

ONTARIO GEOLOGICAL SURVEY

GEOLOGICAL DATA INVENTORY FOLIO

GDIF 151

BEVIN TOWNSHIP

DISTRICT OF SUDBURY

Compiled by the Staff of
the Resident Geologist's Office,
Sudbury

LOCATION MAP

Scale 1:1 013 760 or 1 inch to 16 miles

NTS Number 41 I/3,41 I/6

Mining Claim Map Number M 662

This project was funded by the Ontario Ministry of Northern Affairs through the Northern Ontario Geological Survey (NOGS) Program.

STATEMENT: This inventory is unedited. Discrepancies may occur for which the Ontario Geological Survey does not assume liability. Information from this source may be quoted if credit is given. Reference to this inventory should be made as follows:

Ontario Geological Survey
1984: Bevin Township, District of Sudbury; Ontario Geological Survey, Geological Data Inventory Folio 151, Compiled by the staff of the Resident Geologist's Office, Sudbury, 18p. and 2 maps.

Original Compilation by: Richard Adlington, Jan.4, 1984

Date	Page Revised	Revised by

Date	Page Revised	Revised by

BEVIN TOWNSHIP

TABLE OF CONTENTS

Data Sources Checklist 1
Metals and Minerals Reference List 2
Mineral Occurrences 3
Type of Work 4
Drill Hole Summary 5
Airborne Geophysical Survey Data 6
Geochemical Survey Data 7
Miscellaneous Data 8
Newspaper Clipping File 9
ODM General Index Search 10,11
Selected References 12-17
Notes and Addenda 18

ACCOMPANYING MAPS

Property Location Map - 1 map
Exploration Data Map - 1 map
Map Scale 1: 31 680 or 1 inch to ½ mile

CONVERSION FACTORS FOR MEASUREMENTS IN ONTARIO GEOLOGICAL SURVEY PUBLICATIONS

If the reader wishes to convert imperial units to SI (metric) units or SI units to imperial units the following multipliers should be used:

CONVERSION FROM SI TO IMPERIAL			CONVERSION FROM IMPERIAL TO SI		
SI Unit	*Multiplied by*	*Gives*	*Imperial Unit*	*Multiplied by*	*Gives*
			LENGTH		
1 mm	0.039 37	inches	1 inch	**25.4**	mm
1 cm	0.393 70	inches	1 inch	**2.54**	cm
1 m	3.280 84	feet	1 foot	**0.304 8**	m
1 m	0.049 709 7	chains	1 chain	20.116 8	m
1 km	0.621 371	miles (statute)	1 mile (statute)	**1.609 344**	km
			AREA		
1 cm^2	0.155 0	square inches	1 square inch	**6.451 6**	cm^2
1 m^2	10.763 9	square feet	1 square foot	**0.092 903 04**	m^2
1 km^2	0.386 10	square miles	1 square mile	2.589 988	km^2
1 ha	2.471 054	acres	1 acre	0.404 685 6	ha
			VOLUME		
1 cm^3	0.061 02	cubic inches	1 cubic inch	**16.387 064**	cm^3
1 m^3	35.314 7	cubic feet	1 cubic foot	0.028 316 85	m^3
1 m^3	1.308 0	cubic yards	1 cubic yard	0.764 555	m^3
			CAPACITY		
1 L	1.759 755	pints	1 pint	0.568 261	L
1 L	0.879 877	quarts	1 quart	1.136 522	L
1 L	0.219 969	gallons	1 gallon	**4.546 090**	L
			MASS		
1 g	0.035 273 96	ounces (avdp)	1 ounce (avdp)	28.349 523	g
1 g	0.032 150 75	ounces (troy)	1 ounce (troy)	**31.103 476 8**	g
1 kg	2.204 62	pounds (avdp)	1 pound (avdp)	**0.453 592 37**	kg
1 kg	0.001 102 3	tons (short)	1 ton (short)	**907.184 74**	kg
1 t	1.102 311	tons (short)	1 ton (short)	**0.907 184 74**	t
1 kg	0.000 984 21	tons (long)	1 ton (long)	**1016.046 908 8**	kg
1 t	0.984 206 5	tons (long)	1 ton (long)	**1.016 046 908 8**	t
			CONCENTRATION		
1 g/t	0.029 166 6	ounce (troy)/ ton (short)	1 ounce (troy)/ ton (short)	34.285 714 2	g/t
1 g/t	0.583 333 33	pennyweights/ ton (short)	1 pennyweight/ ton (short)	1.714 285 7	g/t

OTHER USEFUL CONVERSION FACTORS

1 ounce (troy)/ton (short)	20.0	pennyweights/ton (short)
1 pennyweight/ton (short)	0.05	ounce (troy)/ton (short)

One gram(g) per tonne is equivalent to one part per million (1 ppm).

NOTE–Conversion factors which are in bold type are exact. The conversion factors have been taken from or have been derived from factors given in the Metric Practice Guide for the Canadian Mining and Metallurgical Industries published by The Mining Association of Canada in co-operation with the Coal Association of Canada.

DATA SOURCES CHECK LIST

NOTE: The following sources have been searched to compile the data for this area. If no reference data was found the appropriate box is marked 'no'; if reference data was found, the box is marked 'yes'.

All reference data found are included in the following pages. If the box is blank, the data source has not yet been searched. If the box is marked N.A., the source item is Not Applicable to this area and therefore not searched.

	SOURCES OF DATA	Data	Initial
1	Resident Geologist's Office Files	Yes	R.A.
2	Assessment Files Research Office, Toronto	N.A.	R.A.
3	ODM General Index; 7 volumes	No	R.A.
4	Catalogue of Airborne Geophysical Surveys (ODM)	No	R.A.
5	ODM Mineral Resources Circulars and OGS Mineral Deposits Circulars	No	R.A.
6	ODM Industrial Mineral Reports	No	R.A.
7	Bibliography of Post Precambrian Theses - Karrow (ODM MP 1)	No	R.A.
8	Bibliography of Precambrian Theses - Ginn (ODM MP 2)	Yes	R.A.
9	Newspaper Clippings File	No	R.A.
10	GSC Index to Publications	Yes	R.A.
11	OGS Index to Published Maps and Reports - MP 77 and Supplements to MP 77	Yes	R.A.
12	OGS Index Maps	Yes	R.A.
13	Source Mineral Deposit Records (O.G.S.) Mineral Occurrences File	No	R.A.
14	Author - Subject Articles File	Yes	R.A.
15	Miscellaneous Papers: ODM & OGS	Yes	R.A.
16	ODM Geological Circulars: OGS Study Series, Reports	Yes	R.A.
17	ODM Preliminary Reports: ODM Bulletins	No	R.A.
18	ODM – OGS Open File Reports	Yes	R.A.
19	OGS Northern Ontario Engineering Geology Terrain Studies	Yes	R.A.
20	OGS Aggregate Resources Inventory Papers	No	R.A.
21	OGS Mineral Potential Maps	Yes	R.A.
22	Theses on File, Sudbury	Yes	R.A.
23	Aerial Photographs on File, Sudbury	Yes	R.A.

METALS AND MINERALS REFERENCES LIST

- Δ anh. . . . . .Anhydrite
- Δ ank. . . . . .Ankerite
- Δ anna . . . . . Annabergite
- Δ ap. . . . . .Apatite
- Δ arg . . . . . Argentite
- Δ As . . . . . .Arsenic
- Δ asp . . . . . .Arsenopyrite
- Δ asb . . . . . .Asbestos
- Δ ba. . . . . .Barite
- Δ be. . . . . .Beryl
- Δ Bi. . . . . .Bismuth
- Δ bn . . . . . .Bornite
- Δ bran . . . . . .Brannerite
- Δ bruc . . . . . .Brucite
- Δ Cd . . . . . .Cadmium
- Δ calc. . . . . .Calcite
- Δ carb . . . . . .Carbonate
- Δ cel . . . . . .Celestite
- Δ cc. . . . . .Chalcocite
- Δ cp. . . . . .Chalcopyrite
- Δ ch. . . . . .Chert
- Δ clay . . . . . .Clay
- Δ Co . . . . . .Cobalt
- Δ cob. . . . . .Cobaltite
- Δ cb. . . . . .Columbite
- Δ Cu . . . . . .Copper
- Δ cor . . . . . .Corundum
- Δ dol . . . . . .Dolomite
- Δ ep. . . . . .Epidote
- Δ ery . . . . . .Erythrite
- Δ fel . . . . . .Feldspar
- Δ fl . . . . . .Fluorite (flurospar)
- Δ fu. . . . . .Fuchsite
- Δ gn. . . . . .Galena
- Δ gt. . . . . .Garnet
- Δ goe . . . . . .Goethite
- Δ Au . . . . . .Gold
- Δ gf. . . . . .Graphite
- Δ gl . . . . . .Gravel
- Δ gyp. . . . . .Gypsum
- Δ hem . . . . . .Hematite
- Δ il . . . . . .Ilmenite
- Δ Fe . . . . . .Iron
- Δ IF. . . . . .Iron Formation
- Δ jas . . . . . .Jasper
- Δ kaol . . . . . .Kaolinite (kaolin)
- Δ ky . . . . . .Kyanite
- Δ Pb . . . . . .Lead
- Δ lim . . . . . .Limonite
- Δ Li. . . . . .Lithium
- Δ mgst . . . . . .Magnesite
- Δ mag . . . . . .Magnetite
- Δ mc . . . . . .Malachite
- Δ Mn . . . . . .Manganese
- Δ mb . . . . . .Marble
- Δ mar. . . . . .Marcasite
- Δ ma . . . . . .Marl
- Δ mi . . . . . .Mica
- Δ ml . . . . . .Millerite
- Δ mo . . . . . .Molybdenite
- Δ Mo . . . . . .Molybdenum
- Δ mon . . . . . .Monazite
- Δ ne. . . . . .Nephelite (nepheline)
- Δ nc. . . . . .Niccolite
- Δ Ni. . . . . .Nickel
- Δ Nb . . . . . .Niobium
- Δ Pd . . . . . .Palladium
- Δ peat . . . . . .Peat
- Δ pent . . . . . .Pentlandite
- Δ Pt. . . . . .Platinum
- Δ py . . . . . .Pyrite
- Δ pyl . . . . . .Pyrochlore
- Δ pyrl . . . . . .Pyrolusite
- Δ po . . . . . .Pyrrhotite
- Δ q . . . . . .Quartz
- Δ qcv . . . . .Quartz carbonate vein
- Δ ra . . . . . .Radioactive minerals
- Δ RE . . . . . .Rare Earths
- Δ sd. . . . . .Sand
- Δ sgl . . . . . .Sand and gravel
- Δ ss . . . . . .Sandstone
- Δ scap . . . . . .Scapolite
- Δ shee . . . . . .Scheelite
- Δ serp . . . . . .Serpentine
- Δ sh. . . . . .Shale
- Δ sid . . . . . .Siderite
- Δ si . . . . . .Silica
- Δ Ag . . . . . .Silver
- Δ sl . . . . . .Slate
- Δ sm . . . . . .Smaltite
- Δ sod . . . . . .Sodalite
- Δ spec . . . . . .Specularite
- Δ sp. . . . . .Sphalerite
- Δ spd . . . . . .Spodumene
- Δ staur . . . . . .Staurolite
- Δ stib. . . . . .Stibnite
- Δ st . . . . . .Stone
- Δ talc. . . . . .Talc
- Δ Te . . . . . .Tellurium
- Δ td. . . . . .Tetrahedrite
- Δ th. . . . . .Thorite
- Δ Th . . . . . .Thorium
- Δ thuc . . . . . .Thucholite
- Δ ti . . . . . .Titanite
- Δ Ti. . . . . .Titanium
- Δ tour . . . . . .Tourmaline
- Δ trap . . . . . .Trap rock
- Δ W. . . . . .Tungsten
- Δ uran . . . . . .Uraninite
- Δ U . . . . . .Uranium
- Δ verm . . . . . .Vermiculite
- Δ Y . . . . . .Yttrium
- Δ Zn . . . . . .Zinc
- Δ zr . . . . . .Zircon

Solid triangles indicate metal and mineral occurrences shown on the accompanying maps.

BEVIN TOWNSHIP

MINERAL OCCURRENCES

Map Ref. Letter	Name(s)	Mineralization	Source Mineral Deposit Record	References in OGS Mineral Deposits Circulars & OGS Industrial Mineral Reports	Additional References and/or Remarks

GDIF FORM NO. 1

TYPE OF WORK

Numbers below represent the year in which the work was done; e.g., 68 for 1968.

EXPLORATION DATA filed at the RESIDENT GEOLOGIST'S OFFICE
SUDBURY

COMPANY/AUTHOR (file number)		GEOLOGICAL	GEOCHEMICAL	TRENCHING, STRIPPING	DRILLING	ASSAY DATA	UNDERGROUND WORK	PROSPECTUS, NOTES, CORRESPONDENCE	AIRBORNE MAGNETOMETER	AIRBORNE ELECTROMAGNETIC	AIRBORNE RADIOMETRIC	GROUND MAGNETOMETER	GROUND ELECTROMAGNETIC	GROUND RADIOMETRIC	INDUCED POLARIZATON	SELF POTENTIAL	RESISTIVITY			
1	Sulpetro Minerals Ltd.											82	82							

GDIF FORM NO. 2

BEVIN TOWNSHIP

DRILLHOLE SUMMARY

Map Drilling Location Number	Company Name	Company Drillhole Number	Date Drilled	Bearing Azimuth	Initial Dip of Hole	Thickness of Overburden	Total Length of Hole	Mineralization Noted in Log	Assay Data Included for

GDIF FORM NO. 3

6 BEVIN TOWNSHIP

AIRBORNE GEOPHYSICAL SURVEY DATA

No.	By For	Type of Survey	Flight Altitude	Flight Line Direction	Flight Line Spacing

GDIF FORM NO. 4

BEVIN TOWNSHIP

Map Sample Site Reference Number	GEOCHEMICAL SURVEY DATA		By	Reference
	Type of Survey	Analysis For		

GDIF FORM NO. 5

MISCELLANEOUS DATA

AGE DATING

Site	Method	Material	Reference	Result

NEWSPAPER CLIPPINGS FILE

NOTE: A file of newspaper clippings about the companies listed below, who have worked in this area, is maintained in the Regional/Resident Geologist's Office. Sudbury

No clippings on file, Jan.4, 1984

ODM GENERAL INDEX SEARCH

Words searched:
BEVIN TP.
TOWNSHIP 68

Index Volume	Listing:	Report Volume	Part	Page
	No Reference			

GDIF FORM NO. 8

ODM GENERAL INDEX SEARCH

Words searched:

Index Volume	Listing:	Report Volume	Part	Page

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
		REGIONAL GEOLOGICAL COMPILATION MAPS		
Card, K. D.	1971	Panache Lake Area, West Part	O.D.M. Map P.668	1"=1 mile
	1971	Panache Lake Area, East Part	O.D.M. Map P.669	1"=1 mile
	1978	Sudbury-Manitoulin Area	O.G.S. Map 2360	1"=2 miles
Card, K. D. & Lumbers, S. B.	1974,75	Sudbury-Cobalt	O.G.S. Map 2361	1"=4 miles
Thomson, J. E.	1961,68	Espanola Sheet	O.D.M. Map P.105	1"=2 miles
		GEOPHYSICAL MAPS		
Ayers, L. D., Lumbers, S. B., Milne, V. G., Robeson, D. W., Card, K. D.	1971	O.G.S. Aeromagnetic Compilation Map, East Central Sheet	OFR5327	1"=16 miles
G.S.C.-O.D.M.	1965	Aeromagnetic Map, Sudbury, Ontario	Map 7067G	1"=4 miles
G.S.C.-O.D.M.	1965	Aeromagnetic Map, Lake Panache, Ontario	Map 1516G	1"=1 mile
G.S.C.-O.D.M.	1965	Aeromagnetic Map, Copper Cliff, Ontario	Map 1517G	1"=1 mile
Gupta, V. K.	1981	Bouguer Gravity and Generalized Geological Map of the Sudbury and Onaping Lake Area, Districts of Sudbury and Algoma	Map P.2482	1"=16 miles
O.D.M.	1958	Aeromagnetic Map, Township of Bevin	A-112 (Sudbury File No.)	1"=¼ mile

GDIF FORM NO.9

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
O.G.S.	1976	Uranium Reconnaissance Program Airborne Gamma Ray Spectrometer Survey. Geophysical Series.	Map P.1610	1:250 000
		SURFICIAL, PLEISTOCENE, TERRAIN ENGINEERING		
Dept. of Energy, Mines and Resources, Surveys and Mapping Branch	1975	Topographic Map, Lake Panache, Ontario	41 I/3	1:50 000
	1975	Topographic Map, Copper Cliff, Ontario	41 I/6	1:50 000
Gartner, J. F.	1980	N.O.E.G.T.S. Study 99, Espanola Area		
	1978	Data Base Map	5002	1:100 000
		MINERAL POTENTIAL MAPS		
Springer, J. S.	1978	Ontario Mineral Potential, Southern Part of the Central Sheet. Districts of Algoma and Manitoulin.	O.G.S. Map 1511	1:250 000
		GEOCHEMICAL		
		No Data Available, Jan.4, 1984		
		GEOLOGICAL REPORTS AND MAPS		
Card, K. D.	1968	Economic Geology of the Espanola-Whitefish Falls Area	OFR5017	
	1975	Geology of Panache Lake Area, Districts of Sudbury and Manitoulin.	O.D.M. OFR5123	

GDIF FORM NO.9

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Card, K. D.	1978	Geology of the Sudbury-Manitoulin Area, Districts of Sudbury and Manitoulin	GR166 O.D.M. Map 2360	1"=2 miles
Card, K. D., Innes, D. G. and Debicki, R. L.	1974	Stratigraphy, Sedimentology, Huronian Supergroup of Sudbury-Espanola Area	OFR5107	
Card, K. D., Palonen, P., Siemiatkowska, K.	1970	Eden Township and parts of Bevin and Caen Townships	O.D.M. Map P.612	1"=¼ mile
	1975	Louise - Eden Area	O.D.M. Map 2299	1"=¼ mile
	1975	Geology of the Louise-Eden Area	O.D.M. GR124	
Collins, W. H.	1979	North Shore of Lake Huron	G.S.C. Sum. Rept. Pt.E	
Moore, E. S.	1929	Ore Deposits Near The North Shore of Lake Huron	O.D.M. AR38, pt.7	
O.G.S. & Mineral Resources Branch	1982	Mineral Potential Map of Ontario Southern Sheet Magnetic Compilation Map Geological Compilation Map 2197	OFR5328	 1"=16 miles 1"=16 miles 1"=16 miles
Quirke, T. T., Collins, W. H.	1930	The Disappearance of the Huronian	G.S.C. Memoir 160 Map 220A	1"=1 mile
Vos, M. A., Smith, B. A. Stevenato, R. J.	1981	Industrial Minerals of the Sudbury Area	OFR5329	
Yundt, S. E., et al	1983	Industrial Minerals of Ontario	O.G.S. Map P.2591	1:50 000

GDIF FORM NO.9

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
		JOURNALS ARTICLES, THESES, TECHNICAL REPORTS		
Casshyap, S. M.	1966	Sedimentary Petrology and Stratigraphy of the Huronian Rocks South of Espanola, Ont. Ph.D., Western	Sudbury Theses File No.2	
Cooke, H.R.H.	1951	Sulphide Deposits West of Sudbury. B.Sc. Queen's	MP2	p.15
Dalziel, I. W., Brown, J. M. and Warren, T. E.	1969	The Structural and Metamorphic History of the Rocks Adjacent to the Grenville Front near Sudbury, Ontario and Mount Wright, Quebec	G.A.C. Special Paper #5	p.207-224
Debicki, R. L.	1982	Killarney Provincial Park Area, Ontario	O.G.S. Guidebook #6	
Eade, K. E.	1950	The Huronian Rocks of Northwestern Ontario. M.Sc., McG.	MP2	p.34
Ginn, R. M.	1960	The Relationship of the Bruce Series to the Granites in the Espanola Area. Ph.D., UT.	MP2	p.20
Jones, W. A.	1930	1) Petrography of the rocks in the vicinity of Killarney, Ontario and 2) Killarney gneisses and xenoliths at Sudbury; Ph.D., UT.	MP2	p.27
Krogh, T. E., Davis, G. L.	1969	Old Isotopic Ages in the Northwestern Grenville Province, Ontario	G.A.C. Special Paper #5	p.189-192
LaTour, T. E.	1981	Significance of Folds and Mylonites at the Grenville Front in Ontario: Summary	Geol. Soc. An. Bull.92 (1)	p.411-413

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Laurin, Andre	1955	The problem of the boundary between Grenville and Keewatin-Timiskaming provinces, Ontario; D.Sc., Laval	MP2	p.29
Lindsay, D. A.	1967	The Sedimentology of the Huronian Gowganda Formation, (With Special Reference to Whitefish Falls, Area). Ph.D., Johns Hopkins.	Sudbury Theses File No.16	
	1969	Glacial Sedimentology of the Precambrian Gowganda Formation, Ontario, Canada.	Geol. Soc. Am. Bull.80	pp.1685-1702
Long, D. G. F.	1978	Depositional Environemnts of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada.	Can. J. Earth Sci., Vol.15	pp.190-206
McLennan, S. M., Fryer, B. J. Young, G. M.	1979	The geo-chemistry of the carbonate-rich Espanola Formation (Huronian) with emphasis on rare earth elements	Can. J. Earth Sci., Vol.16	pp.230-239
Palonen, P. A.	1971	Stratigraphy and Deformational Environment of the Mississagi Formation, Ontario. M.Sc., Calgary.	Sudbury Theses File No.18	
Quirke, T. T.	1915	Geology of Espanola District, Ontario. Ph.D., UC.	MP2	p.38
Schenk, P. E.	1965	Depositional Environment of the Gowganda Formation (Precambrian) at the south end of Lake Timagami, Ontario	J. Sed. Pet., Vol.135	pp.309-318
Siemiatkowska, K. M.	1970	Bibliography of Huronian Geology Covering the Region from Sault Ste. Marie to the Grenville Front.	Sudbury Theses	
Thachuk, N. M.	1960	The Origin of the Gowganda Banded Argillite. B.A.Sc., U.T.	MP2	p.44

SELECTED REFERENCES

Author	Date	Title	Reference	Map Scales and/or Report Pages
Wright, J. D.	1935	The Age of Some Granite Batholiths North of Lake Huron and the Genetic Relations of the Arsenical Gold Ores to the Keweenawan Granites. Ph.D., UT.	MP2	p.48
Young, G. M.	1973	Origin of the carbonate-rich Early Proterozoic Espanola Formation, Ontario, Canada.	Geol. Soc. Am. Bull., Vol.84	pp.135-160
	1981	The Early Proterozoic Gowganda Formation, Ontario Canada	Earth's Pre-Pleistocene Glacial Record. Cambridge U.Press	pp.807-812

NOTES AND ADDENDA

AERIAL PHOTOGRAPHS INDEX

Scale 1" = 1 mile

Year	Roll	Line	Numbers
1959	53	4610	66-72
	58	4609	36-41
	75	4608	60,61
1946	14	165	21-27
	13	166	46-51
	11	167	23-29
	10	168	18-23
	10	169	45-50

GDIF FORM NO.30



BEVIN TOWNSHIP



Ontario

Ministry of Natural Resources

Hon. Alan W. Pope
Minister

John R. Sloan
Deputy Minister

ONTARIO GEOLOGICAL SURVEY

PROPERTY LOCATION MAP

(Map 1 of 2 .)

to accompany GEOLOGICAL DATA

INVENTORY FOLIO 151

BEVIN TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre

INVENTORY FOLIO 151

BEVIN TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0 5 0 0 5 1 Mile

Kilometre 0 5 0 0 5 1 Kilometre



EXPLORATION DATA FILE AREAS

☒ ① ⑤ Reference number is always inside work area outlined. See listing in text pages

☐ × ④ Small area of exploration data.

☐ Work area outlined

TYPES OF DATA SHOWN ON THIS MAP

GEOCHEMICAL AND GEOCHRONOLOGICAL DATA

- ☐ ◆³ — Geochemical sample site, with reference number
- ☐ ◆³ — Area of geochemical sampling, with reference number
- ☐ ✳² — Age dating material sampling site, with reference number
- ☐ —

GEOPHYSICAL ANOMALIES

- ☐ AM — Airborne Magnetometer Anomaly
- ☐ — Airborne Electromagnetometer Anomaly
  Length of anomaly along flight line
- ☐ — Airborne Electromagnetometer Anomaly.
  Location of anomaly along flight line
- ☐ — Airborne Electromagnetometer Anomaly
  Conductor Axis: definite, probable, possible
- ☐ ARA — Airborne Radiometric Anomaly
- ☒ M — Ground Magnetometer Anomaly
- ☒ VL — Ground Electromagnetometer Anomaly
  (VL - Vertical Loop; HL - Horizontal Loop;
  VLF - Very low freq; Turam; JEM -
  Crone EM - 16)
- ☐ RA — Ground Radiometric Anomaly
- ☐ IP — Induced Polarization Anomaly
- ☐ SP — Self Potential Anomaly
- ☐ AFMAG — Audio-frequency magnetometer anomaly
  (total intensity)
- ☐ R — Resistivity Anomaly
- ☐ GR — Gravity Anomaly
- ☐ —





Ministry of Natural Resources
Ontario

Hon. Alan W. Pope
Minister

John R. Sloan
Deputy Minister

ONTARIO GEOLOGICAL SURVEY
Map to Accompany GEOLOGICAL DATA
INVENTORY FOLIO 151

BEVIN TOWNSHIP

DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre

GEOLOGICAL AND MINING SYMBOLS

TYPES OF DATA SHOWN ON THIS MAP (Map 2 of 2.)

MINERAL OCCURRENCES

- Mineral occurrence at surface, with reference letter
- Mineral occurrence with shaft, depth given with reference letter
- Mineral occurrence reported but exact location uncertain, with reference letter
- Mineralized Float with reference letter

DRILL HOLES

- Location of single drill hole, with reference number
- Location of closely spaced group of drill holes, with reference number

GEOPHYSICAL ANOMALIES

- ☐ AM — Airborne Magnetometer Anomaly
- ☐ Airborne Electromagnetometer Anomaly
  Length of anomaly along flight line
- ☐ Airborne Electromagnetometer Anomaly
  Location of anomaly along flight line
- ☐ Airborne Electromagnetometer Anomaly
  Conductor Axis: definite, probable, possible
- ☐ ARA — Airborne Radiometric Anomaly
- ☒ M — Ground Magnetometer Anomaly
- ☒ VL — Ground Electromagnetometer Anomaly
  (VL: Vertical Loop, HL: Horizontal Loop, VLF: Very low freq. Turam, JEM Crone EM-16)
- ☐ RA — Ground Radiometric Anomaly
- ☐ IP — Induced Polarization Anomaly
- ☐ SP — Self Potential Anomaly
- ☐ AFMAG — Audio-frequency magnetometer anomaly (total intensity)
- ☐ R — Resistivity Anomaly
- ☐ GR — Gravity Anomaly
- ☐
- ☐

MISCELLANEOUS DATA

- ☐ Trenching, pit
- ☐ Adit
- ☐ Open pit
- ☐
- ☐ Rock quarry
- ☐ Sand and/or gravel pit
- ☐

NOTE: Consult the text that accompanies this map for pertinent lists of data, references, and abbreviations.





DISTRICT OF SUDBURY

Scale 1:31 680

Mile 0.5 0 0.5 1 Mile

Kilometre 0.5 0 0.5 1 Kilometre

GEOLOGICAL AND MINING SYMBOLS

TYPES OF DATA SHOWN ON THIS MAP (Map 2 of 2.)

MINERAL OCCURRENCES

- cp A. — Mineral occurrence at surface, with reference letter
- Au A. 84' — Mineral occurrence with shaft, depth given with reference letter
- Ag ? A. — Mineral occurrence reported but exact location uncertain, with reference letter
- cp A. — Mineralized Float with reference letter
- ☐

DRILL HOLES

- ●² — Location of single drill hole, with reference number
- ◉² — Location of closely spaced group of drill holes, with reference number
- (?)² — Drill hole, exact location uncertain, with reference number.
- ◡ — Property with underground drill holes in this general area, with reference number
- ○² — Property with drill holes which have not been plotted on map, with reference number
- ⊕² — Reverse Circulation Drill Hole; Churn drilling, with reference number
- ☐